

## **D-Link Multifunction Print Sever Compatibility List**

## Document Revision History

Version	Date	Description	Edited By
1.0	2009/7/1	First Release	Richard

## **Multifunction Printer Compatibility List**

Device: DPR-1040 FW/1.00; SW/A08

Report marked as "NA": Printer doesn't support this function

Report marked as Fail: The function is fail. PTR No will be added in 'Note'

Report marked as Fail: 1. LPR/RAW is also fail with HP EN3700 print server.

· ·

2. The functions is also fail even connect printer to host PC directory.

Company	Model	Power	LPR	Raw	Auto	Manual	Fax via	Fax via	Scan via	Scan via	Сору	Storage	Storage	Control	ink &	Note
	name	cycle/USB	printing	data	printing	Printing	Printer	Utility	Utility	Windows	function	access via	access	Panel	port	
		cycle test		printing			driver			Utility		Windows	via		status	
												υı	Utility			
Brother	Brother	ОК	ОК	ОК	ОК	ОК	ок	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	



	MFC 210c															
Brother	Brother MFC 3240c	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	OK	
Brother	Brother MFC 640CW	ОК	ОК	ОК	ОК	ОК	ОК	NA	ОК							
Brother	Brother MFC-58 40CN		ОК	ОК	ОК	ОК	ОК	NA	ОК							
Brother	Brother MFC-88 OCDN		ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	
Canon	Canon MultiPa ss F30	ОК	Fail	Fail	Fail	ОК	NA	NA	ОК	NA	NA	NA	NA	ОК	ОК	Driver Not support LPR/RAW printing
Canon	Canon 865R	ОК	ОК	ОК	ОК	ОК	NA	ОК	ОК							
Canon	Canon 960i	ОК	ОК	ОК	ОК	ОК	NA	ОК	ОК							
Canon	Canon LBP320	ОК	CAPT	САРТ	Fail	ОК	NA	ОК	Driver Not support LPR/RAW printing							
Canon	Canon	ОК	ОК	ОК	ОК	ОК	NA	NA	ОК							



	MP130 (MFP)															
Canon	Canon MP370	ОК	ОК	ОК	ОК	ОК	NA	NA	ОК	ОК	NA	ОК	ОК	NA	ОК	
Canon	(MFP) Canon MP450 (MFP)	ok	ОК	ОК	ОК	ОК	NA	NA	ok	ok	ОК	ОК	ОК	ОК	OK	
Canon	Canon MP500 (MFP)	ОК	ОК	ОК	ОК	ОК	NA	NA	ОК	ОК	ОК	ОК	NA	ОК	OK	
Canon	Canon MP600 (MFP)	ОК	ОК	ОК	ОК	ОК	NA	NA	ОК	ОК	ОК	ОК	ОК	NA	OK	
Canon	Canon MP760 (MFP)	ОК	ОК	ОК	ОК	ОК	NA	NA	ОК	ОК	ОК	ОК	ОК	NA	ОК	
Canon	Canon MP780 (MFP)	ОК	NA	NA	NA	ОК										
Canon	Canon MP830 (MFP)	ОК	ОК	ОК	ОК	ОК	ок	NA	ОК	ОК	NA	ОК	NA	ОК	OK	
Canon	Canon MP950	ОК	ОК	ОК	ОК	ОК	NA	NA	ОК	ОК	ОК	ОК	ОК	Fail	ОК	* MANTIS BUG NO:0001039



	(MFP)															
Canon	Canon	ок	ОК	ОК	ОК	ОК	NA	ОК								
	S400															
Canon	Canon	ок	ОК	ОК	ОК	ОК	NA	ОК								
	BJ															
	F890-P															
	D															
Dell	Dell	ок	ОК	ОК	ОК	ОК	NA	NA	ОК	ОК	ОК	NA	NA	NA	ОК	Change to winprin
	A920															for LPR/RAW
																printing
Dell	Dell	Ok	Ok	ОК	ОК	ОК	NA	NA	ОК	ОК	ОК	NA	NA	NA	ОК	Change to winprint
	A940															for LPR/RAW
																printing
Dell	Dell	ОК	Fail	Fail	ОК	ОК	NA	NA	ОК	1. Scan issue: The						
	AIO															maximum scan
	962															solution of Dell
																AIO 962 is 600 dpi.
																2. Driver Not
																support LPR/RAW
																printing
Dell	Dell	ок	ОК	ОК	ОК	OK	ОК	ОК	OK	ОК	ОК	NA	NA	ОК	ОК	
	Mono															
	Laserje															
	t MFP															
	1125															



ь	<sub>5   </sub>	<sub>01</sub> /	l	l	lov	0.4	l	ļ.,,	lo.,	lov	l <sub>ou</sub>	امر	امد	<b></b>	0.4	ls
Dell	Dell	OK	Fail	Fail	OK	OK	NA	NA	OK	ОК	OK	ОК	OK	NA	OK	Driver Not support
	Photo															LPR/RAW printing
	966															
EPSON	EPSON	OK	OK	ОК	ОК	ОК	NA	NA	NA	NA	NA	NA	NA	NA	ОК	
	480SX															
	U															
EPSON	EPSON	ОК	ОК	ок	ОК	ОК	NA	NA	NA	NA	NA	NA	NA	NA	ОК	
	C60															
EPSON	EPSON	ОК	ОК	ОК	ОК	ОК	NA	NA	NA	NA	NA	NA	NA	NA	ОК	
	C63															
EPSON	EPSON	ОК	ОК	ОК	ОК	ОК	NA	NA	NA	NA	NA	NA	NA	ОК	ОК	
	AcuLas															
	er															
	C1100															
EPSON	EPSON	ОК	ОК	ОК	ОК	ОК	NA	NA	ОК	ОК	ОК	NA	NA	NA	ОК	
	CX150															
	0 (MFP)															
EPSON	EPSON	ОК	ОК	ОК	ОК	ОК	NA	NA	ОК	ОК	NA	NA	NA	NA	ОК	
	CX381															
	0 (MFP)															
EPSON	EPSON		OK	OK	ОК	ОК	NA	NA	OK	ОК	OK	NA	NA	NA	ОК	
	CX410															
	0 (MFP)															
EDSON	EPSON		ОК	OK	ОК	Docc	N/A	NA	ОК	ОК	OK	ОК	ОК	ОК	ОК	
EPSON		UK	UK	UK	UK	Pass	NA	INA	UK	UK	ОК	UK	UK	UK	UK	
	CX470															



	0 (MFP)															
EPSON	EPSON	ОК	ОК	ОК	ОК	ок	NA	NA	ОК	ОК	ОК	ОК	ОК	NA	ОК	
	CX480															
	0 (MFP)															
EPSON	EPSON	ок	Bidirecti	Bidirecti	ОК	ок	NA	NA	ОК	ОК	ОК	NA	NA	ОК	ОК	Not support
	CX510		onal	onal												LPR/RAW printing
	0 (MFP)		Printer	Printer												
EPSON	EPSON	ок	ОК	ОК	ОК	ок	NA	NA	ОК							
	CX780															
	0 (MFP)															
EPSON	EPSON	ок	ОК	ОК	ОК	ОК	NA	NA	ОК	ОК	NA	ОК	ОК	NA	ОК	
	Stylus															
	CX947															
	5fax															
EPSON	EPSON	ок	ОК	ОК	ОК	ок	NA	NA	ОК	ок	ок	ОК	ок	NA	ОК	
	Stylus															
	CX830															
	0															
EPSON	EPSON	ок	Bidirecti	Bidirecti	OK	ок	NA	ОК	Not support							
	EPL-62		onal	onal												LPR/RAW printing
	00L		Printer	Printer												
EPSON	EPSON	ок	Bidirecti	Bidirecti	ОК	ок	NA	ОК	Not support							
	LP-130		onal	onal												LPR/RAW printing
	О		Printer	Printer												





	et 1500L															
HP		ОК	ОК	ОК	ОК	ОК	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	Color															
	LaserJe															
	t 1600															
HP	HP	ОК	ОК	ОК	ОК	ОК	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	Color															
	LaserJe															
	t 2600n	ı														
HP	HP	ОК	OK	OK	ОК	ОК	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	Color															
	LaserJe															
	t 2605															
HP		ОК	ОК	OK	OK	ОК	NA	NA	Fail	Fail	NA	NA	NA	Fail	ОК	1. Scaning is very
	Color															slow.(The same as
	LaserJe															local.)
	t CM															2. Scanning
	1015															breaks down and
	MFP															appears error
																message.(The
																same as local.)
																3. Control panel
																function does not
																work.(The same



																as local.)
	HP Deskjet 3745		Fail	Fail	ОК	ОК	NA		LPR & Raw data printing fail, that's Vista driver issue, MFP/Printer							
																standard TCP/IP LPR or Raw data printing are work in Windows XP. (EN3700 is fail too
HP	HP Deskjet 3845	OK	Fail	Fail	ОК	ОК	NA	in Windows Vista)  LPR & Raw data  printing fail, that's  Vista driver issue,  MFP/Printer  standard TCP/IP  LPR or Raw data  printing are work  in Windows  XP.(EN3700 is fail  too in Windows								



																Vista)
HP	HP	ОК	Fail	Fail	ОК	ОК	NA	LPR & Raw data								
	Deskjet															prinitnig all is
	3930															fail.(EN3700 is fail
																too.)
HP	HP	ОК	Fail	Fail	ОК	ок	NA	LPR & Raw data								
	Dsekjet															printing fail, that's
	3940															Vista driver issue,
																MFP/Printer
																standard TCP/IP
																LPR or Raw data
																printing are work
																in Windows
																XP.(EN3700 is fail
																too in Windows
																Vista)
НР	HP	ОК	Fail	Fail	ОК	ок	NA	ОК	LPR & Raw data							
	Deskjet															printing fail, that's
	5740															Vista driver issue,
																MFP/Printer
																standard TCP/IP
																LPR or Raw data



1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	
																printing are work
																in Windows
																XP.(EN3700 is fail
																too in Windows
																Vista)
HP	HP	ОК	ОК	ОК	ОК	ОК	NA	ОК								
	Deskjet															
	6540															
HP	HP	ОК	ОК	ОК	ОК	ОК	NA	N/A	Fail	When printer is						
	Deskjet															cover open or
	6840															paper out, port
																monitor does not
																display port status
																correctly. (The
																same as local.)
HP	HP	ОК	ОК	ОК	ОК	ОК	NA	ОК								
	Deskjet															
	D1330															
HP	HP	ОК	ОК	ОК	ОК	ОК	NA	ОК								
	Deskjet															
	D2360															
HP	HP	ОК	Fail	Fail	OK	ОК	NA	NA	1. LPR & Raw data							
	Deskjet															printing fail, that's
	D4160															Vista driver issue,
																MFP/Printer



																standard TCP/IP LPR or Raw data printing are work in Windows XP.(EN3700 is fail too in Windows Vista)
НР	HP Deskjet F380	ОК	ОК	ОК	Ok	ОК	NA	NA	NA	ОК	ОК	NA	NA	NA	NA	
НР	HP LaserJe t 1012 (GDI)	ОК	ОК	ок	ОК	ок	NA	ОК								
НР	HP LaserJe t 1020 (GDI)	ОК	GDI	GDI	ОК	ОК	NA	N/A		Not support  LPR/RAW printing						
HP	HP LaserJe t 1022 (GDI)	ОК	GDI	GDI	ОК	ОК	NA	N/A		Not support LPR/RAW printing						
НР	HP LaserJe t 1160	ОК	ОК	ОК	ОК	ОК	NA	N/A	N/A							



HP	HP	ок	ок	ок	ОК	ок	NA	NA	NA	NA	NA	NA	NA	N/A	N/A	
	Laserje															
	t 1300															
HP	HP	ок	ОК	ок	ОК	ОК	NA	NA	NA	NA	NA	NA	NA	N/A	N/A	
	LaserJe															
	t															
	2200D															
HP	HP	ок	ОК	ОК	ОК	ок	NA	NA	ОК	ОК	NA	NA	NA	ОК	ОК	
	LaserJe															
	t 3015															
HP	HP	ок	ОК	ок	ОК	ОК	NA	NA	NA	Fail	NA	NA	NA	N/A	NA	Scanning breaks
	LaserJe															down with high dpi
	t 3050															and appears error
																message.(The
																same as local.)
HP	HP	ок	ОК	ок	ОК	ок	NA	NA	NA	ОК	NA	NA	NA		ОК	
	LaserJe															
	t															
	M1005															
	MFP															
HP	HP	ОК	ОК	ок	ОК	ок	NA	NA	OK	Fail	NA	NA	NA	ОК	ОК	Scanning will be
	Laserje															interrupted, when
	t															solution set to
	M1522															1200 DPI. Mantis
	n															bug number:



																0000938.
НР	HP	ОК	OK	OK	OK	ОК	NA	ОК								
	Laserje															
	t P3005															
HP	HP	ок	Fail	Fail	ок	ОК	NA	NA	NA	ок	NA	NA	NA	NA	NA	LPR & Raw data
	Officeje															printing fail, that's
	t 4110															Vista driver issue,
	(MFP)															MFP/Printer
																standard TCP/IP
																LPR or Raw data
																printing are work
																in Windows
																XP.(EN3700 is fail
																too in Windows
																Vista)
HP	HP	ок	ОК	ОК	ОК	ОК	ок	ОК	ок	ок	ОК	NA	NA	Fail	ОК	Control panel
	Officeje															function does not
	t 4255															work.(The same
	(MFP)															as local.)
HP	HP	ок	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	NA	NA	ОК	N/A	
	Officeje															
	t 5110															
	(MFP)															



HP	HP											NA	NA			
	Officeje															
	t 5510															
	(MFP)															
HP	HP	ОК	Fail	Fail	ОК	ок	ок	ОК	OK	Fail	ОК	NA	NA	ОК	ОК	1. If Scanning DPI
	Officeje															is 1200, Scanning
	t 5610															will always break
	(MFP)															down (Local is fail
																too)
																2. LPR & Raw data
																printing fail, that's
																Vista driver issue,
																MFP/Printer
																standard TCP/IP
																LPR or Raw data
																printing are work
																in Windows
																XP.(EN3700 is fail
																too in Windows
																Vista)
НР	HP	ОК	ОК	ОК	ОК	ок	NA	NA	NA	Fail	NA	NA	NA	N/A	N/A	1. If Scanning DPI
	Officeje															is 1200, Scanning
	t 6110															will always break
	(MFP)															down (Local is fail
																too)



HP	HP	ок	NA	NA	ОК	ОК										
	Officeje															
	t 6210															
	(MFP)															
HP	HP	ок	OK	ок	ок	ок	ок	ОК	ОК							
	Officeje															
	t 6310															
	(MFP)															
HP	HP	ОК	ОК													
	Officeje															
	t															
	7210(M															
	FP)															
HP	HP	ОК	ОК													
	Officeje															
	t 7310															
	(MFP)															
HP	HP	ок	OK	ОК	OK	ОК	OK	ОК	ОК							
	Officeje															
	t 7410															
	(MFP)															
HP	HP	ок	ОК	ОК	OK	OK	ОК	OK	OK	ОК	NA	ОК	ОК	Fail	NA	1. Control panel
	Officeje															function does not
	t 9130															work. (The same
	(MFP)															as local.)



НР	HP	ок	ОК	ОК	OK	ОК	NA	N/A	N/A						
	Officeje														
	t Pro														
	K850														
	(MFP)														
HP	HP	ок	ОК	ОК	OK	ок	NA	NA	NA	NA	NA	ок	ок	NA	ОК
	Photos														
	mart														
	1215														
HP	HP	ок	ОК	ОК	OK	ок	NA	NA	ОК	ОК	ОК	ок	ОК	ок	ОК
	Photos														
	mart														
	2575														
	(MFP)														
HP	HP	ок	ОК	ОК	OK	ок	ОК								
	Photos														
	mart														
	2610														
HP	HP	ок	ОК	ОК	OK	ок	ОК								
	Photos														
	mart														
	2710														
НР	HP	ОК	ок	ОК	OK	ок	NA	NA	ОК	ок	ОК	ок	ОК	ОК	ОК
	Photos														
	mart														



	3210															
HP	HP	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ОК	ок	ОК	ОК	ОК	
	Photos															
	mart															
	3310															
HP	HP	ОК	ОК	ОК	ОК	ОК	NA	NA	NA	NA	NA	ОК	ОК	N/A	N/A	
	Photos															
	mart															
	335															
HP	HP	OK	ОК	OK	OK	OK	NA	NA	NA	NA	NA	OK	ОК	ОК	ОК	
	Photos															
	mart															
LID	375 HP	OK	ОК	ОК	OK	014	NA	210	NI A	N. 0	N. A.	ОК	OK	N/A	N1 / A	
HP	photos	OK	UK	OK	OK	ОК	NA	NA	NA	NA	NA	UK	ОК	N/A	N/A	
	mart															
	385															
HP	HP	ОК	OK	ОК	OK	OK	NA	NA	NA	NA	NA	NA	NA	N/A	N/A	
	photos															
	mart															
	422															
HP	HP	ОК	ОК	OK	ОК	ОК	NA	NA	NA	NA	NA	NA	NA	NA	ОК	
	photos															
	mart															
	425															
				1		1	1						1			



HP	HP	ОК	ОК	ОК	ОК	ок	NA	ОК								
	photos															
	mart															
	428															
HP	HP	ок	ОК	ОК	ОК	ок	NA	NA	NA	NA	NA	ОК	ОК	N/A	N/A	
	Photos															
	mart															
	475															
HP	HP	ОК	ОК	ок	ОК	ок	NA	NA	NA	NA	NA	ОК	ок	NA	ОК	
	Photos															
	mart															
	A516															
HP	HP	ок	ОК	ОК	ОК	ок	NA	NA	NA	NA	NA	ОК	ок	NA	ОК	
	Photos															
	mart															
	A616															
HP	HP	ок	ОК	ОК	ОК	ок	NA	ОК								
	Photos															
	mart															
	7150															
НР	HP	ок	ок	OK	ОК	ОК	NA	NA	NA	NA	NA	ОК	OK	N/A	ОК	
	Photos															
	mart															
	7260															
HP	HP	ОК	ОК	ОК	ОК	ок	NA	NA	NA	NA	NA	ОК	ОК	NA	ОК	



	Photos														
	mart														
	7550														
HP	HP	ок	ОК	ОК	ОК	ОК	NA	NA	NA	NA	NA	ОК	ОК	NA	NA
	Photos														
	mart														
	7850														
HP	HP	ОК	ОК	ОК	ОК	ОК	NA	NA	NA	NA	NA	OK	ОК	NA	NA
	Photos														
	mart														
	7960														
HP	HP	ОК	ОК	ОК	ОК	ОК	NA	NA	NA	NA	NA	OK	ОК	NA	NA
	Photos														
	mart														
	8050														
HP		ОК	OK	OK	ОК	OK	NA	NA	NA	NA	NA	OK	OK	NA	NA
	Photos														
	mart														
	8250														
HP		ОК	ОК	OK	ОК	ОК	NA	NA	NA	NA	NA	OK	ОК	NA	NA
	Photos														
	mart														
	8450			011		0.1							011		
HP		ОК	ОК	OK	ОК	ОК	NA	NA	NA	NA	NA	OK	ОК	NA	ОК
	Photos														



	mart															
	8750															
НР	HP	ОК	ОК	ОК	ок	ОК	NA	NA	ОК							
	Photos															
	mart															
	C3180															
	(MFP)															
HP	HP	ОК	ОК	ОК	ОК	ОК	NA	NA	ОК							
	Photos															
	mart															
	C4100															
	(MFP)															
HP	HP	ОК	ОК	ОК	ОК	ОК	NA	NA	ОК							
	Photos															
	mart															
	C4385															
HP	GP	ОК	ОК	ОК	ОК	ОК	NA	NA	ОК							
	Photos															
	mart															
	C4480															
HP	HP	ОК	Fail	Fail	ОК	ОК	NA	NA	ОК	LPR & Raw data						
	Photos															printing fail, that's
	mart															Vista driver issue,
	C5180															MFP/Printer
	(MFP)															standard TCP/IP



																LPR or Raw data printing are work in Windows XP.(EN3700 is fail too in Windows Vista)
HP	HP Photos mart C5280	OK	ок	OK	ОК	ОК	NA	NA	ОК	OK	ОК	OK	ОК	ок		1. If Scanner DIP is 1200 dpi, Windows Scan wizard is easy to crash (Same as Local)
	HP Photos mart C6180	ОК	OK	ОК	ОК	ОК	ОК	ОК								
	HP Photos mart C7280	OK	ОК	OK	ОК	ОК	ОК	ОК	ОК							
	HP Photos mart D5160	OK	ОК	ОК	ОК	ОК	NA	NA	NA	NA	NA	OK	ОК	NA	ОК	
НР	HP	ОК	ОК	ОК	ОК	ОК	NA	NA	NA	NA	NA	ОК	ОК	N/A	ОК	



	Photos mart D5360															
НР	HP Photos mart D7160	ок	ОК	ОК	ок	ок	NA	NA	NA	NA	NA	ОК	ок	NA	ок	
НР	HP Photos mart D7360	ок	ОК	ОК	ОК	ОК	NA	NA	NA	NA	NA	OK	ОК	NA	ОК	
НР	HP Photos mart D7460	ок	ОК	ОК	ок	ок	NA	NA	NA	NA	NA	ок	ок	NA	ок	
НР	HP PSC 1210 (MFP)	ОК	ОК	ОК	ОК	ОК	NA	NA	OK	ОК	ОК	NA	NA	ОК	ОК	
НР	HP PSC 1315 (MFP)	ОК	ОК	ОК	ОК	ОК	NA	NA	ок	ОК	ОК	NA	NA	Fail		Control panel function can't work.(It's The same as local .)
НР	HP PSC 1350 (MFP)	ОК	ОК	ОК	ОК	ОК	NA	NA	ОК	ОК	ОК	ОК	ОК	ОК	ОК	



HP	HP PSC	ок	Fail	Fail	ок	ОК	NA	NA	ОК	ОК	ОК	NA	NA	ок	ОК	1. LPR & Raw data
	1410															printing fail, that's
	(MFP)															Vista driver issue,
																MFP/Printer
																standard TCP/IP
																LPR or Raw data
																printing are work
																in Windows
																XP. (EN3700 is fail
																too in Windows
																Vista)
HP	HP PSC	ОК	ОК	OK	ОК	ОК	NA	NA	ОК	ОК	OK	NA	NA	OK	OK	
	1507															
	(MFP)															
HP	HP PSC	ОК	ОК	ОК	ОК	ОК	NA	NA	ОК	ОК	ОК	NA	NA	ОК	OK	
	1510															
	(MFP)															
HP	HP PSC	ОК	ОК	ОК	ОК	ОК	NA	NA	ОК	ОК	ОК	ОК	ОК	ОК	OK	
	1600															
	(MFP)															
HP	HP PSC		ОК	ОК	OK	ОК	NA	NA	ОК	ОК	ОК	ОК	ОК	OK	OK	
	1610(M															
	FP)															
HP	HP PSC	ОК	ОК	ОК	OK	ОК	NA	NA	ОК	ОК	OK	ОК	ОК	ОК	OK	
	2210															



	(MFP)															
НР	HP PSC	ок	ок	ОК	ОК	ОК	NA	NA	ОК							
	2355															
	(MFP)															
HP	HP PSC	ОК	ок	ОК	ок	ок	NA	NA	NA	ок	NA	NA	NA	NA	NA	Scan fail, when
	750															DPI sets to 1200.
	(MFP)															(The same as
																local.)
Kyocera	Kyocer	ОК	ОК	ОК	ОК	ОК	NA									
	а															
	FS-102															
	0D															
LEXMARK	LEXMA	ОК	ОК	ОК	ОК	ОК	NA									
	RK															
	E232															
LEXMARK	LEXMA	ОК	ОК	ОК	ОК	ОК	NA	NA	OK	ОК	ОК	NA	NA	ОК	OK	Change to winprint
	RK															for LPR/RAW
	X1185															printing
	(MFP)															
LEXMARK		ОК	Bidirecti	Bidirecti	OK	ОК	NA	NA	OK	ОК	ОК	NA	NA	ОК	OK	Not support
	RK		onal	onal												LPR/RAW printing
	X1195		Printer	Printer												
	(MFP)															
LEXMARK	LEXMA	ОК	Bidirecti	Bidirecti	ОК	ОК	NA	NA	ОК	ОК	ОК	NA	NA	NA	ОК	Not support
	RK		onal	onal												LPR/RAW printing



	X2350		Printer	Printer												
	(MFP)															
LEXMARK		ОК	Bidirecti	Bidirecti	ОК	OK	NA	NA	OK	ОК	OK	NA	NA	NA	OK	Not support
	RK		onal	onal												LPR/RAW printing
	X3350		Printer	Printer												
	(MFP)															
LEXMARK	LEXMA	ок	Bidirecti	Bidirecti	ок	ОК	ок	OK	ОК	ОК	ОК	NA	NA	ОК	ОК	Not support
	RK		onal	onal												LPR/RAW printing
	X4270		Printer	Printer												
	(MFP)															
LEXMARK	LEXMA	ОК	Bidirecti	Bidirecti	ОК	ОК	NA	NA	ОК	Not support						
	RK		onal	onal												LPR/RAW printing
	X4550		Printer	Printer												
	(MFP)															
LEXMARK	LEXMA	ОК	Bidirecti	Bidirecti	ОК	ОК	NA	NA	ОК	ОК	ОК	NA	NA	ОК	ОК	Not support
	RK		onal	onal												LPR/RAW printing
	X5150		Printer	Printer												
	(MFP)															
LEXMARK	LEXMA	ОК	Bidirecti	Bidirecti	ОК	NA	NA	ОК	ОК	Not support						
	RK		onal	onal												LPR/RAW printing
	X7170		Printer	Printer												
	(MFP)															
LEXMARK	-	ОК	Bidirecti	Bidirecti	ОК	ОК	ОК	OK	OK	ОК	ОК	ОК	OK	ОК	OK	Driver Not suppor
	RK		onal	onal											7.,	LPR/RAW printing
	X8350		Printer	Printer												2. 10 10 to printing
	70330		Filitei	Finter												



	(MFP)															
LEXMARK	LEXMA	OK	OK	ОК	ОК	ОК	NA	ОК	1. When connect							
	RK Z33															printer , it install a
																new printer
																(Cpoy1)
LEXMARK	LEXMA	ОК	ОК	ОК	ОК	ОК	NA	ОК	1. When connect							
	RK Z53															printer, it install a
																new printer
																(Cpoy1)
ОКІ	OKI-C5	ОК	ОК	ОК	ОК	ОК	NA									
	400n															
Samsung	Samsu	ОК	ОК	ОК	ОК	ОК	NA									
	ng															
	M-1710															
Samsung	Samsu	ОК	ОК	ОК	ОК	ОК	NA	NA	ОК	ОК	ОК	NA	NA	NA	ОК	
	ng															
	SCX-42															
	00															